


SAMPLE NAME: Sombra Warm Therapy Plus

Infused, Hemp

CULTIVATOR / MANUFACTURER
Business Name:
License Number:
Address:
DISTRIBUTOR / TESTED FOR
Business Name: Sombra Plus CBD/
Sore No More Plus CBD

License Number:
Address: 5951 Office Blvd. NE
Albuquerque NM 87109

SAMPLE DETAIL
Batch Number: 1571

Sample ID: 240912M020

Date Collected: 09/12/2024

Date Received: 09/12/2024

Batch Size:
Sample Size: 1.0 units

Unit Mass:
Serving Size:


 Scan QR code to verify
authenticity of results.

CANNABINOID ANALYSIS - SUMMARY
Total THC: **Not Detected**
Total CBD: **1.617%**
Sum of Cannabinoids: **1.617%**
Total Cannabinoids: **1.617%**

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

 $Total\ THC = \Delta^9\text{-THC} + (THCa\ (0.877))$
 $Total\ CBD = CBD + (CBDa\ (0.877))$
 $Sum\ of\ Cannabinoids = \Delta^9\text{-THC} + THCa + CBD + CBDa + CBG + CBGa +$
 $THCV + THCVa + CBC + CBCa + CBDV + CBDVa + \Delta^8\text{-THC} + CBL + CBN$
 $Total\ Cannabinoids = (\Delta^9\text{-THC} + 0.877 * THCa) + (CBD + 0.877 * CBDa) +$
 $(CBG + 0.877 * CBGa) + (THCV + 0.877 * THCVa) + (CBC + 0.877 * CBCa) +$
 $(CBDV + 0.877 * CBDVa) + \Delta^8\text{-THC} + CBL + CBN$
TERPENOID ANALYSIS - SUMMARY

39 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: **5.6909%**

SAFETY ANALYSIS - SUMMARY
Pesticides: ND


Residual Solvents: DETECTED

Heavy Metals: ND

Microbiology (PCR): ND

Microbiology (Plating): ND

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.


 LQC verified by: Josh Antunovich
 Job Title: Laboratory Director
 Date: 09/18/2024


 Approved by: Josh Wurzer
 Job Title: Chief Compliance Officer
 Date: 09/18/2024

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

Amendment to Certificate of Analysis 240912M020-001

SC Laboratories California LLC. | 100 Pioneer Street, Suite E, Santa Cruz, CA 95060 | (866) 435-0709 | sclabs.com | C8-0000013-LIC | ISO/IES 17025:2017 PJLA Accreditation Number 87168

© 2024 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22 CoA ID: 240912M020-002 Summary Page



Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: **Not Detected**

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: **1.617%**

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: **1.617%**

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: **ND**

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: **ND**

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: **ND**

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: **<LOQ**

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 09/16/2024

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.080 / 0.220	±0.6031	16.170	1.6170
CBDV	0.040 / 0.240	N/A	<LOQ	<LOQ
Δ^9 -THC	0.0006 / 0.0053	N/A	ND	ND
Δ^8 -THC	0.20 / 0.40	N/A	ND	ND
THCa	0.0003 / 0.0019	N/A	ND	ND
THCV	0.040 / 0.240	N/A	ND	ND
THCVa	0.040 / 0.380	N/A	ND	ND
CBDa	0.020 / 0.520	N/A	ND	ND
CBDVa	0.020 / 0.360	N/A	ND	ND
CBG	0.040 / 0.120	N/A	ND	ND
CBGa	0.040 / 0.140	N/A	ND	ND
CBL	0.060 / 0.200	N/A	ND	ND
CBN	0.020 / 0.140	N/A	ND	ND
CBC	0.060 / 0.200	N/A	ND	ND
CBCa	0.020 / 0.300	N/A	ND	ND
SUM OF CANNABINOIDS			16.170 mg/g	1.617%

Terpenoid Analysis

Terpene analysis utilizing gas chromatography-flame ionization detection (GC-FID).

Method: QSP 1192 - Analysis of Terpenoids by GC-FID

1 Menthol

A monoterpenoid alcohol with a fragrance that can be described as fresh, cool and herbal. It is responsible for the distinct odor of mint. It is frequently added to cigarettes and mouthwash as a flavorant. Found in mint, sunflower, micromeria, mountain mint, rose geranium, pennyroyal, tarragon, savory, basil, juniper, couch grass, rhubarb, acinos (basil thyme), ironwort, muña...etc.

TERPENOID TEST RESULTS - 09/17/2024

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
Menthol	0.008 / 0.025	±0.7196	23.064	2.3064
Camphor	0.006 / 0.036	±0.6074	21.929	2.1929
Limonene	0.005 / 0.036	±0.1234	11.121	1.1121
Linalool	0.009 / 0.036	±0.0106	0.358	0.0358
Myrcene	0.008 / 0.025	±0.0016	0.156	0.0156
Terpineol	0.009 / 0.031	±0.0064	0.133	0.0133
α -Pinene	0.005 / 0.036	±0.0006	0.083	0.0083
Sabinene	0.004 / 0.014	±0.0003	0.037	0.0037
Borneol	0.005 / 0.016	±0.0009	0.028	0.0028
Camphene	0.005 / 0.015	N/A	<LOQ	<LOQ
Δ^3 -Carene	0.005 / 0.018	N/A	<LOQ	<LOQ
Geranyl Acetate	0.004 / 0.036	N/A	<LOQ	<LOQ
β -Pinene	0.004 / 0.014	N/A	ND	ND

Continued on next page



Terpenoid Analysis *Continued*

TERPENOID TEST RESULTS - 09/17/2024 *continued*

2 Camphor

A monoterpenoid ketone with a pungent fragrance that is as reminiscent of mothballs. It is commonly derived from *Cinnamomum camphora*, from which it lends its name. It is a constituent of turpentine and has been used by certain cultures as an embalming fluid due to its antimicrobial effects. Found in camphor laurel, rosemary, East African camphorwood, goldenasters, coriander, feverfew, tarragon, nutmeg, sweet wormwood, yerba buena, mountain mint, hyssop, forskohlii, tansy, thyme, turmeric...etc.

3 Limonene

A monoterpene with a fragrance that can be described as orangey, citrusy, sweet and tart. It is most commonly found in nature as D-Limonene and is a primary contributor to the distinct scent of orange peels, from which it is commonly derived. Found in numerous pines, red maple, silver maple, aspens, cottonwoods, hemlocks, sumac, cedar, junipers...etc.

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
α-Phellandrene	0.006 / 0.036	N/A	ND	ND
α-Terpinene	0.005 / 0.017	N/A	ND	ND
p-Cymene	0.005 / 0.016	N/A	ND	ND
Eucalyptol	0.006 / 0.018	N/A	ND	ND
β-Ocimene	0.006 / 0.025	N/A	ND	ND
γ-Terpinene	0.006 / 0.018	N/A	ND	ND
Sabinene Hydrate	0.006 / 0.036	N/A	ND	ND
Fenchone	0.009 / 0.036	N/A	ND	ND
Terpinolene	0.008 / 0.036	N/A	ND	ND
Fenchol	0.010 / 0.036	N/A	ND	ND
Isopulegol	0.005 / 0.036	N/A	ND	ND
Isoborneol	0.004 / 0.012	N/A	ND	ND
Nerol	0.003 / 0.036	N/A	ND	ND
Citronellol	0.003 / 0.036	N/A	ND	ND
Pulegone	0.003 / 0.011	N/A	ND	ND
Geraniol	0.002 / 0.036	N/A	ND	ND
α-Cedrene	0.005 / 0.016	N/A	ND	ND
β-Caryophyllene	0.004 / 0.012	N/A	ND	ND
trans-β-Farnesene	0.008 / 0.025	N/A	ND	ND
α-Humulene	0.009 / 0.180	N/A	ND	ND
Valencene	0.009 / 0.180	N/A	ND	ND
Nerolidol	0.006 / 0.021	N/A	ND	ND
Caryophyllene Oxide	0.010 / 0.033	N/A	ND	ND
Guaiol	0.009 / 0.030	N/A	ND	ND
Cedrol	0.008 / 0.027	N/A	ND	ND
α-Bisabolol	0.008 / 0.026	N/A	ND	ND
TOTAL TERPENOIDS			56.909 mg/g	5.6909%



Pesticide Analysis

PESTICIDE TEST RESULTS - 09/16/2024 ND

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Abamectin	0.03 / 0.10	N/A	ND
Acephate	0.02 / 0.07	N/A	ND
Acequinocyl	0.02 / 0.07	N/A	ND
Acetamiprid	0.02 / 0.05	N/A	ND
Aldicarb	0.03 / 0.08	N/A	ND
Azoxystrobin	0.02 / 0.07	N/A	ND
Bifenazate	0.01 / 0.04	N/A	ND
Bifenthrin	0.02 / 0.05	N/A	ND
Boscalid	0.03 / 0.09	N/A	ND

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 09/16/2024 *continued ND*

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Captan	0.19 / 0.57	N/A	ND
Carbaryl	0.02 / 0.06	N/A	ND
Carbofuran	0.02 / 0.05	N/A	ND
Chlorantraniliprole	0.04 / 0.12	N/A	ND
Chlordane*	0.03 / 0.08	N/A	ND
Chlorfenapyr*	0.03 / 0.10	N/A	ND
Chlorpyrifos	0.02 / 0.06	N/A	ND
Clofentezine	0.03 / 0.09	N/A	ND
Coumaphos	0.02 / 0.07	N/A	ND
Cyfluthrin	0.12 / 0.38	N/A	ND
Cypermethrin	0.11 / 0.32	N/A	ND
Daminozide	0.02 / 0.07	N/A	ND
Diazinon	0.02 / 0.05	N/A	ND
Dichlorvos (DDVP)	0.03 / 0.09	N/A	ND
Dimethoate	0.03 / 0.08	N/A	ND
Dimethomorph	0.03 / 0.09	N/A	ND
Ethoprophos	0.03 / 0.10	N/A	ND
Etofenprox	0.02 / 0.06	N/A	ND
Etoxazole	0.02 / 0.06	N/A	ND
Fenhexamid	0.03 / 0.09	N/A	ND
Fenoxycarb	0.03 / 0.08	N/A	ND
Fenpyroximate	0.02 / 0.06	N/A	ND
Fipronil	0.03 / 0.08	N/A	ND
Flonicamid	0.03 / 0.10	N/A	ND
Fludioxonil	0.03 / 0.10	N/A	ND
Hexythiazox	0.02 / 0.07	N/A	ND
Imazalil	0.02 / 0.06	N/A	ND
Imidacloprid	0.04 / 0.11	N/A	ND
Kresoxim-methyl	0.02 / 0.07	N/A	ND
Malathion	0.03 / 0.09	N/A	ND
Metalaxyl	0.02 / 0.07	N/A	ND
Methiocarb	0.02 / 0.07	N/A	ND
Methomyl	0.03 / 0.10	N/A	ND
Mevinphos	0.03 / 0.09	N/A	ND
Myclobutanil	0.03 / 0.09	N/A	ND
Naled	0.02 / 0.07	N/A	ND
Oxamyl	0.04 / 0.11	N/A	ND
Paclobutrazol	0.02 / 0.05	N/A	ND
Parathion-methyl	0.03 / 0.10	N/A	ND
Pentachloronitrobenzene (Quintozene)*	0.03 / 0.09	N/A	ND
Permethrin	0.04 / 0.12	N/A	ND

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 09/16/2024 *continued ND*

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Phosmet	0.03 / 0.10	N/A	ND
Piperonyl Butoxide	0.02 / 0.07	N/A	ND
Prallethrin	0.03 / 0.08	N/A	ND
Propiconazole	0.02 / 0.07	N/A	ND
Propoxur	0.03 / 0.09	N/A	ND
Pyrethrins	0.04 / 0.12	N/A	ND
Pyridaben	0.02 / 0.07	N/A	ND
Spinetoram	0.02 / 0.07	N/A	ND
Spinosad	0.02 / 0.07	N/A	ND
Spiromesifen	0.02 / 0.05	N/A	ND
Spirotetramat	0.02 / 0.06	N/A	ND
Spiroxamine	0.03 / 0.08	N/A	ND
Tebuconazole	0.02 / 0.07	N/A	ND
Thiacloprid	0.03 / 0.10	N/A	ND
Thiamethoxam	0.03 / 0.10	N/A	ND
Trifloxystrobin	0.03 / 0.08	N/A	ND



Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

RESIDUAL SOLVENTS TEST RESULTS - 09/16/2024 DETECTED

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Propane	10 / 20	N/A	ND
n-Butane	10 / 50	N/A	ND
n-Pentane	20 / 50	N/A	ND
n-Hexane	2 / 5	N/A	ND
n-Heptane	20 / 60	N/A	ND
Benzene	0.03 / 0.09	N/A	ND
Toluene	7 / 21	N/A	ND
Total Xylenes	50 / 160	N/A	ND
Methanol	50 / 200	N/A	ND
Ethanol	20 / 50	±10.2	354
2-Propanol (Isopropyl Alcohol)	10 / 40	N/A	ND
Acetone	20 / 50	N/A	ND
Ethyl Ether	20 / 50	N/A	ND
Ethylene Oxide	0.3 / 0.8	N/A	ND
Ethyl Acetate	20 / 60	N/A	ND
Chloroform	0.1 / 0.2	N/A	ND
Dichloromethane (Methylene Chloride)	0.3 / 0.9	N/A	ND
Trichloroethylene	0.1 / 0.3	N/A	ND
1,2-Dichloroethane	0.05 / 0.1	N/A	ND

Continued on next page




Residual Solvents Analysis

Continued

RESIDUAL SOLVENTS TEST RESULTS - 09/16/2024 *continued* DETECTED

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Acetonitrile	2 / 7	N/A	ND



Heavy Metals Analysis

HEAVY METALS TEST RESULTS - 09/14/2024 ND

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Arsenic	0.02 / 0.1	N/A	ND
Cadmium	0.02 / 0.05	N/A	ND
Lead	0.04 / 0.1	N/A	ND
Mercury	0.002 / 0.01	N/A	ND



Microbiology Analysis

PCR AND PLATING

MICROBIOLOGY TEST RESULTS (PCR) - 09/16/2024 ND

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

COMPOUND	RESULT
Shiga toxin-producing <i>Escherichia coli</i>	ND
<i>Salmonella</i> spp.	ND

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PLATING) - 09/16/2024 ND

COMPOUND	RESULT (cfu/g)
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND
Coliforms	ND

NOTES

Reason for Amendment: Order Detail Information Change